van Walraven




FIRE PROTECTION

Dry Fire Suppression System

A complete product range

Pipes, couplings, and fittings for dry fire suppression systems, including matching mounting hardware and (rental) tools for **fitting work, roll grooving, and pressing for Viega Megapress**



vanwalraven.com

An overview of the Viega Megapress product range

This system can also be supplied pre-fabricated.

Handwheel for fire hydrant, 8mm
Item number: 348026
Handwheel for fire hydrant, 11mm
Item number: 348028

Spindle for fire hydrant valve, 2"
Item No.: 348021
Spindle for fire hydrant valve, 2-1/2"
Item No.: 348022

Brass fire hydrant valve, 2-1/2" male thread
Item No.: 348027

AWG adapter, 2-1/2" female thread
Item number: 348012

AWG screw-on blank cap, 2" male thread, incl. black rubber gasket
Item number: 348015
Storz blank cap with chain, lug 81, incl. white rubber gasket
Item number: 348005


Megapress S XL 90° elbow, steel/galvanized, 3"
Item no.: 388852

Megapress S XL threaded coupling, steel/galvanized, 3" x 3"
Item no.: 388834

Storz connector, 3" male thread
Item no.: 348013

AWG threaded blank cap, 2" male thread, incl. black rubber seal Item no.: 348015
AWG threaded cap 65 with lock
Item no.: 348068

Storz strainer for Storz coupling, 2/12"
Item No.: 348019



GY 90° elbow, 1-1/4", galvanized
Item number: 330544

KW fill/vent valve 2200L, 2" male thread x 1-1/4" female thread Item number: 348023

GY reducing ring GF241, 3" x 2"
Item number: 332837

Megapress S XL threaded coupling, steel/galvanized, 3" x 3"
Item number: 388834

Welded steel gas pipe 3" Standard: EN10255-M Item number: 330897

Megapress S XL tee, 88.9 x 2-1/2" x 88.9mm Item number: 388290

BIS HD 500 heavy-duty pipe clamp - M10/M12, 86 - 92mm Item number: 209813

Megapress S XL coupling, steel/galvanized, 3"
Item number: 388846

Wall cabinet, red, RAL3000, 500x500x300mm Item number: 348050

Trim frame, red, RAL3000, 502x502mm Item number: 348055

"B" pictogram, plastic, 300x400mm Item number: 348065

Accessories

Griffon Silpat® tub, 450 g
Item no.: 616081
Plumber's hemp, 200 g
Item no.: 610179
Loctite 577 thread sealant, 250 ml

Item no.: 610607
Standard TCT saw blade for PVC-steel-copper-SML
Item no.: 900389
Storz wrench
Item no.: 348024

Rental

Viega press jaw set 76.1–108 mm
Item No.: 941763
Viega Megapress Press Booster press set S XL 2-1/2" - 3" - 4"
Item No.: 941947
Exact pipe cutting machine 170E
Item No.: 917092

Please note!

For the supply connection, choose from **Wall cabinet + reveal liner**
Item No.: 348050 + 348055
Storz strainer
Item No.: 348019
AWG threaded cap with lock
Item No.: 348068

We're happy to help you select the right materials. For more information, visit vanwalraven.com, call 0297 300 300, or email sales@vanwalraven.com

2023.10.16.V03

Tip: lightly grease the rubber seals to help prevent drying out

An overview of the grooved-connection product range

This system can also be supplied prefabricated.

Reducer 3" groove (88.9) x 2.1/2" female thread
Item no.: 345955

Handwheel for fire hydrant valve, 8 mm
Item no.: 348026
Handwheel for fire hydrant valve, 11 mm
Item no.: 348028

Brass fire hydrant valve 2.1/2" male thread
Item no.: 348027
Brass fire hydrant valve 2" male thread
Item no.: 348025

AWG adapter, 2-1/2" female thread
Item no.: 348012
AWG adapter, 2" female thread
Item no.: 348011

AWG screw-on blank cap 2" male thread incl. black rubber seal
Item no.: 348015

Storz blank cap with chain, lug 81 incl. white rubber seal
Item no.: 348005


Victaulic 90° elbow
Style 001 - 88.9 mm, galvanized
Item no.: 348377

GY straight coupling, 3", galvanized
Item no.: 330653

Nipple 3" male thread x grooved end
Item no.: 348001

Storz adapter 3" male thread
Item no.: 348013
Storz adapter 3" grooved
Item no.: 348014

Storz strainer for Storz coupling, 2-1/2"
Item no.: 348019



GY 90° elbow, 1-1/4", galvanized
Item no.: 330544

KW air vent / vacuum breaker 2200 L, 2" male thread x 1.1/4" female thread Item no.: 348023

Victaulic base outlet Style 60 - 88.9 mm x 2" concentric BSP, galvanized Item no.: 348451

Fire tube, double-grooved, 88.9 (3") x 2.9 Standard: EN10217-1 Item no.: 390605

Welded steel gas pipe 3" Standard: EN10255-M Item no.: 330897

Victaulic rigid coupling Style 009N - 88.9 mm, EPDM/a, galvanized Item no.: 348352

Victaulic tee Style 002 - 88.9 mm, galvanized Item no.: 348358

BIS HD 500 heavy-duty pipe clamp - M10/M12, 86 - 92 mm Item no.: 209813

Wall cabinet, red, RAL3000, 500x500x300 mm Item no.: 348050

Red trim frame, RAL 3000, 502 × 502 mm Item no.: 348055

"B" pictogram, plastic, 300x400 mm Item no.: 348065

AWG threaded blank cap, 2" male thread incl. black rubber seal Item no.: 348015

AWG screw cap 65 with lock Item no.: 348068

Accessories

Griffon Silpat® tub, 450 g
Item no.: 616081
Loctite 577 thread sealant, 250 ml
Item no.: 610607
Plumber's hemp (hank), 200 g
Item no.: 610179
Victaulic lubricant
125 g Item no.: 348636
907 g Item no.: 348637
Storz spanner wrench
Item no.: 348024

Prefab Saw cutting

3", grooving cost 3"
Item no.: 347936
Item no.: 347918

Rental

Roll grooving machine, 2–6"
Item no.: 348040
Portable roll groover, 2–6"
Item no.: 348053
Roll stand for roll grooving machine
Item no.: 348057


Attention!

For the supply connection, choose from

Wall cabinet + trim frame
Item no.: 348050 + 348055 Storz strainer Item no.: 348019

AWG screw cap with lock
Item no.: 348068

We're happy to help you choose the right materials. For more information, visit vanwalraven.com, call 0297 300 300, or email sales@vanwalraven.com



An overview of the range for pipe fitting applications

This system can also be supplied prefabricated.

Handwheel for hydrant valve, 8 mm
Item No.: 348026
Handwheel for hydrant valve, 11 mm
Item No.: 348028

Spindle for fire hydrant valve 2"
Item No.: 348021
Spindle for fire hydrant valve 2.1/2"
Item No.: 348022

Brass hydrant valve, 2-1/2" male thread
Item No.: 348027
Brass hydrant valve, 2" male thread
Item No.: 348025

AWG connector, 2-1/2" female thread
Item No.: 348012
AWG connector, 2" female thread
Item No.: 348011

AWG threaded blank cap, 2" male thread incl. black rubber seal
Item No.: 348015
Storz blank cap with chain, lug 81 incl. white rubber seal
Item No.: 348005


GY 90° elbow, 3", galvanized
Item No.: 330533

GY straight coupling, 3", galvanized Item No.: 330653

Storz connector, 3" male thread Item No.: 348013

AWG threaded blank cap, 2" male thread, incl. black rubber seal Item No.: 348015
AWG screw cap 65 with lock
Item No.: 348068

Storz strainer for Storz coupling, 2/12"
Item No.: 348019



GY 90° elbow, 1-1/4", galvanized
Item No.: 330544

KW air release/vent valve 2200 L, 2" male thread x 1-1/4" female thread Item No.: 348023

GY reducing coupling, 3" x 2", galvanized Item No.: 330611 GY reducing ring, 3" x 2", galvanized Item No.: 330821

Galvanized welded threaded pipe, 3" Standard: EN10255-M
Item No.: 330929

Welded steel gas pipe, 3" Standard: EN10255-M Item No.: 330897

GY tee, 3", galvanized Item No.: 330573

GY reducing ring, 3" x 2-1/2", galvanized Item No.: 330614

BIS HD 500 heavy-duty pipe clamp - M10/M12, 86 - 92 mm Item No.: 209813

Red wall cabinet, RAL 3000, 500x500x300mm Item No.: 348050

Red trim frame, RAL 3000, 502x502mm Item No.: 348055

"B" pictogram, plastic, 300x400mm Item No.: 348065

Accessories

Griffon Silpat® tub, 450g
Item No.: 616081
Hemp (hank), 200 g
Item No.: 610179
Loctite 577 thread sealant, 250ml
Item No.: 610607
Storz wrench
Item No.: 348024

Prefabricated

Sawing 3"
Item No.: 347918
Thread cutting 3"
Item No.: 347959

Attention!

For the supply connection, choose from **Wall cabinet + trim frame**

Item No.: 348050 + 348055
Storz strainer
Item No.: 348019
AWG screw cap with lock
Item No.: 348068

We're happy to help you select the right materials. For more information, visit vanwalraven.com, call 0297 300 300, or email sales@vanwalraven.com

Tip: lightly grease the rubber seals to help prevent drying out

Overview of the VSH Shurjoint product range This system can also be supplied prefabricated.

Handwheel for fire hydrant valve, 8 mm
Item No.: 348026
Handwheel for fire hydrant valve, 11 mm
Item No.: 348028

Brass fire hydrant valve, 2 1/2" male thread
Item No.: 348027
Brass fire hydrant valve, 2" male thread
Item No.: 348025

AWG adapter, 2 1/2" female thread
Item No.: 348012
AWG adapter, 2" female thread
Item No.: 348011

AWG threaded blank cap, 2" male thread, incl. black rubber seal Item No.: 348015

Storz blank cap with chain, lug 81, incl. white rubber seal
Item No.: 348005


VSH Shurjoint grooved 90° short elbow - 88.9 mm, galvanized Item No.: 349790

Shurjoint male-thread transition, 88.9 x 3", galvanized
Item No.: 349514

GY straight round coupling, 3", galvanized
Item No.: 330653

Storz adapter, 3" male thread
Item No.: 348013
Storz adapter, 3" grooved
Item No.: 348014

Storz strainer for Storz coupling, 2 1/2"
Item No.: 348019



GY 90° elbow, 1-1/4", galvanized
Item No.: 330544

KW air vent/relief valve 2200 L, 2" male thread x 1-1/4" female thread Item No.: 348023

VSH Shurjoint concentric transition MF - 88.9 mm x 2", galvanized Item No.: 349683

Flame tube, 2 x grooved, 88.9 (3") x 2.9 Standard: EN10217-1 Item No.: 390605

Welded steel gas pipe 3" Standard: EN10255-M Item No.: 330897

Shurjoint grooved rigid coupling 88.9 mm, galvanized Item No.: 349806

Grooved tee, straight-through, 88.9 x 2-1/2" x 88.9 Item No.: 345579

BIS HD 500 heavy-duty pipe clamp - M10/M12, 86–92 mm Item No.: 209813

Red wall cabinet, RAL 3000, 500x500x300 mm Item No.: 348050

Red trim frame, RAL3000, 502x502mm Item No.: 348055

"B" pictogram, plastic, 300x400 mm Item No.: 348065

AWG threaded blank cap 2" male thread incl. black rubber seal
Item No.: 348015

AWG threaded cap 65 with lock
Item No.: 348068

Accessories

Griffon Silpat® tub, 450 g
Item No.: 616081
Loctite 577 thread sealant, 250 ml
Item No.: 610607
Plumber's hemp (bundle), 200 g
Item No.: 610179
Storz wrench
Item No.: 348024
SJ groove lubricant
450 g Item No.: 349490
900g Item No.: 349491

Prefabrication

Sawing 3"
Item No.: 347918
Grooving fees 3"
Item No.: 347936

Rental

Roll grooving machine 2–6"
Item No.: 348040
Portable roll groover 2–6"
Item No.: 348053
Pipe stand for roll grooving machine
Item No.: 348057

Important!

For the supply connection, choose from
Wall cabinet + trim frame
Item No.: 348050 + 348055 **Storz strainer**
Item No.: 348019
AWG threaded cap with lock
Item No.: 348068

We're happy to help you select the right materials. For more information, visit vanwalraven.com, call 0297 300 300, or email sales@vanwalraven.com